

STAT/MA 41600  
Practice Problems: November 24, 2014

1. Consider a tray with 8 lemonades and 3 raspberry juices. Alice and Bob each take 1 drink from the tray, without replacement. Assume that all of their choices are equally likely. Let  $X$  be the number of lemonades that Alice and Bob get. (Note:  $X$  is either 0, 1, or 2.) Find the variance of  $X$ .

2. In question #1, let  $X_1$  and  $X_2$  indicate (respectively) if Alice and Bob (respectively) get lemonade. In other words,  $X_1 = 1$  if Alice gets lemonade, or  $X_1 = 0$  otherwise; and  $X_2 = 1$  if Bob gets lemonade, or  $X_2 = 0$  otherwise.

Find the correlation  $\rho(X_1, X_2)$  between  $X_1$  and  $X_2$ .

**3a.** Suppose that  $X$  is a continuous random variable that is Uniformly distributed on  $[10, 14]$ , and suppose  $Y = 2X + 2$ . Find  $\text{Cov}(X, Y)$ , i.e., the covariance of  $X$  and  $Y$ .

**b.** Find the correlation  $\rho(X, Y)$  of  $X$  and  $Y$ .

**4a.** Suppose that  $X$  is a continuous random variable that is Uniformly distributed on  $[3, 6]$ , and suppose  $Y = (X - 1)(X + 1) = X^2 - 1$ . Find  $\text{Cov}(X, Y)$ , i.e., the covariance of  $X$  and  $Y$ .

**b.** Find the correlation  $\rho(X, Y)$  of  $X$  and  $Y$ .

5. Roll two 4-sided dice (*not 6-sided dice*). Let  $X$  be the minimum value, and let  $Y$  be the maximum value. Find the covariance of  $X$  and  $Y$ .