

STAT/MA 41600  
Practice Problems: September 15, 2014  
Solutions by Mark Daniel Ward

**1. Butterflies.** Using the work from Problem Set 8, we have

$$p_{X,Y}(0,3) = .3424, \quad p_{X,Y}(1,2) = .4644, \quad p_{X,Y}(2,1) = .1741, \quad p_{X,Y}(3,0) = .0191,$$

and otherwise  $p_{X,Y}(x,y) = 0$ .

**2. Dependence/independence among dice rolls.** Yes,  $X$  and  $Y$  are independent because for positive integers  $x$  and  $y$ , we have

$$p_{X,Y}(x,y) = \left(\left(\frac{5}{6}\right)^{x-1}\left(\frac{1}{6}\right)\right) \left(\left(\frac{5}{6}\right)^{y-1}\left(\frac{1}{6}\right)\right) = p_X(x)p_Y(y)$$

and otherwise  $p_{X,Y}(x,y) = 0 = p_X(x)p_Y(y)$ . So  $X$  and  $Y$  are independent.

**3. Wastebasket basketball.** Using the results from Problem Set 8, we have  $p_Y(1) = 1/3 + 2/9 + 4/27 = 19/27$ , and thus  $p_Y(0) = 8/27$ . So we have

$$\begin{aligned} p_{X|Y}(1 | 0) &= \frac{p_{X,Y}(1,0)}{p_Y(0)} = \frac{0}{8/27} = 0 \\ p_{X|Y}(2 | 0) &= \frac{p_{X,Y}(2,0)}{p_Y(0)} = \frac{0}{8/27} = 0 \\ p_{X|Y}(3 | 0) &= \frac{p_{X,Y}(3,0)}{p_Y(0)} = \frac{0}{8/27} = 0 \\ p_{X|Y}(4 | 0) &= \frac{p_{X,Y}(4,0)}{p_Y(0)} = \frac{8/81}{8/27} = 1/3 \\ p_{X|Y}(5 | 0) &= \frac{p_{X,Y}(5,0)}{p_Y(0)} = \frac{16/243}{8/27} = 2/9 \\ p_{X|Y}(6 | 0) &= \frac{p_{X,Y}(6,0)}{p_Y(0)} = \frac{32/243}{8/27} = 4/9 \end{aligned}$$

and

$$\begin{aligned} p_{X|Y}(1 | 1) &= \frac{p_{X,Y}(1,1)}{p_Y(1)} = \frac{1/3}{19/27} = 9/19 \\ p_{X|Y}(2 | 1) &= \frac{p_{X,Y}(2,1)}{p_Y(1)} = \frac{2/9}{19/27} = 6/19 \\ p_{X|Y}(3 | 1) &= \frac{p_{X,Y}(3,1)}{p_Y(1)} = \frac{4/27}{19/27} = 4/19 \\ p_{X|Y}(4 | 1) &= \frac{p_{X,Y}(4,1)}{p_Y(1)} = \frac{0}{19/27} = 0 \\ p_{X|Y}(5 | 1) &= \frac{p_{X,Y}(5,1)}{p_Y(1)} = \frac{0}{19/27} = 0 \\ p_{X|Y}(6 | 1) &= \frac{p_{X,Y}(6,1)}{p_Y(1)} = \frac{0}{19/27} = 0 \end{aligned}$$

**4. Two 4-sided dice.** In general, for  $1 \leq x < y \leq 4$ ,

$$\begin{aligned} p_{X,Y}(x, y) &= P(\{\max = y \text{ and } \min = x\}) \\ &= P(\{\text{die values } x, y\}) + P(\{\text{die values } y, x\}) \\ &= 2/16, \end{aligned}$$

and for  $1 \leq x = y \leq 4$ ,

$$\begin{aligned} p_{X,Y}(x, y) &= P(\{\max = y = x = \min\}) \\ &= P(\{\text{die values } x, x\}) \quad \text{since } x \text{ and } y \text{ are the same in this case} \\ &= 1/16, \end{aligned}$$

and

$$p_{X,Y}(x, y) = 0 \quad \text{otherwise.}$$

We have

$F_{X,Y}(x, y)$	$y = 1$	$y = 2$	$y = 3$	$y = 4$
$x = 1$	1/16	3/16	5/16	7/16
$x = 2$	1/16	4/16	8/16	12/16
$x = 3$	1/16	4/16	9/16	15/16
$x = 4$	1/16	4/16	9/16	16/16

**5. Pick two cards.** The random variables  $X$  and  $Y$  are dependent. As an example, we know  $P(X = 2) = 11/221$ ; this was established back in Problem Set 7. On the other hand, given  $Y = 2$ , then both of the cards that you selected are 10's, so they cannot be face cards, and thus

$$P(X = 2 \mid Y = 2) = 0.$$

So we have

$$P(X = 2 \mid Y = 2) \neq P(X = 2).$$

So  $X$  and  $Y$  are dependent random variables.